



Noa

Sunlounger

Technical file



FABRIC



STACKABLE



RECLINABLE



WHEELS



SPARE PARTS



CUSTOMIZABLE



RECYCLABLE

Description

Frame

Made of polypropylene resin.

Reinforced with fiberglass and a special formulation with UV treatment.

Ribbed design that guarantees structural robustness against deformation and breakage.

Fabric

Breathable fabric constructed with double weft and double warp, 1.25 mm thick and 870 g/m² density.

Made of a continuous polyester thread core (30%) coated with PVC (70%).

Resistant to UV rays, with a light resistance index of 8.

Antimicrobial protection that protects against bad odors and moisture.

Fire resistance due to flammability retardant according to EN-1021-2:2015 regulations.

Security


Folding support designed to prevent hands and fingers from being caught.

Support regulator designed to avoid sudden movements during height regulation.

Noa

Sunlounger

Capacity



A - 75,4 cm
B - 84,6 cm

C - 191,2 cm
D - 36,4 cm

Package	Units	Measures	Weight	Volume
Box	2 u.	210x76x51 cm	35 kg	0,81 m ³
Pallet	9 u.	210x76x145 cm	169 kg	2,31 m ³

Loading capacity	Mega trailer	Cont. 20'	Cont. 40'	Cont. 40' High Cube
Noa	405 u.	160 u.	322 u.	322 u.

Finishes

Frame

Resin

Classic



White

Prestige



Sand



Turtledove



Wood

Fabric

Balliu



01/00



02/00



03/00



04/00



07/00



10/00



12/00



16/00



21/00



30/00



32/00



36/00



38/00



40/00



50/00



61/00



Noa

Sunlounger

Maintenance plan

Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

Monthly

Check fabric tension.
Check the structural strength and stability.
Check the condition of wheels.

Annual

Check the condition of the fabric and ensure it is correctly tensed.
Check the backrest and adjuster are working correctly.
Replace any worn or damaged parts.

Wintering and storage

Clean with soapy water and a soft cloth.
Remove damp stains, sand and seawater.
Store horizontally in a dry place in stacks of 10 units.

Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Consult the maintenance instructions.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.